

From: Technical Department
-Cooling Division-
Colle di Nocera Umbra
06025 Nocera Umbra (PG) Italy
Phone n° +39 0742 820 551
Fax n° +39 0742 820 521
E-Mail: massimo.fabi@jp-industries.com

For the **Technical Assistance Manager**
attention of: **Spare Parts Procurement Manager**

Technical Information
side by side connection

466000277
rev. 000

Instruction of Installation for connection hinges side by side

To settle the appliances between them self it is necessary use 3 points of connection:

1. Lower front side
2. Upper front side
3. Back side upper corner

In these points must be fixed the connection's hinges visible in the following picture shown lower.

The parts of the assembly kit are composed by the following parts:

- nr. 3 connection plate
- nr. 1 vertical profile with magnet (*see note)
- nr. 4 self threading screw TSP D=4,8 H=19

Colour kit:

White colour kit part number: 651069449 720702500


Gray colour kit part number: 651068963 720687700



Mounting procedure:

Place both the appliances 5mm near on the two sides that will be kept in contact (the right side of the freezer and the left side of the refrigerator) allowing enough space around them to be able to work at the back side too.

1. In the lower frontal point (1 in the picture A) insert the connecting plate for the regulating foot starting from the left side arriving to the depth and then turning the plate to insert the right side as is shown in the following pictures.





From: Technical Department
 -Cooling Division-
 Colle di Nocera Umbra
 06025 Nocera Umbra (PG) Italy
 Phone n° +39 0742 820 551
 Fax n° +39 0742 820 521
 E-Mail: massimo.fabi@jp-industries.com

For the **Technical Assistance Manager**
 attention of: **Spare Parts Procurement Manager**




Technical Information **466000277**
side by side connection **rev. 000**

Instruction of Installation for connection hinges side by side

2. In the frontal upper part (2 in the picture A) place the connection plate and fix it by using the provided self threading screws TSP D=4,8 H=19.



3. In the fixing point at the back side (3 in the picture A) after have removed the two screws used for fixing the top, place the connection plate and screw them again.



Once completed the plates fixing, position both the appliances and mount the frontal profile in the area between the two appliances. (see picture B) (*please note profile is not provided for black colour kit)

"Instruction of installation for connection hinges side by side"

White colour kit: 651069449 720702500 (composed by the following parts)

- Lower frontal plate: pcs. 1
- Back side plate: pcs. 1
- Upper frontal side plate: pcs. 1
- Upper frontal plate fixing screws: pcs. 4
- Vertical profile with magnete: pcs. 1

"Instruction of installation for connection hinges side by side"

Gray colour kit: 651068963 720687700 (composed by the following parts)

- Lower frontal plate: pcs. 1
- Back side plate: pcs. 1
- Upper frontal side plate: pcs. 1
- Upper frontal plate fixing screws: pcs. 4
- Vertical profile with magnete: pcs. 1

From: Technical Department
 -Cooling Division-
 Colle di Nocera Umbra
 06025 Nocera Umbra (PG) Italy
 Phone n° +39 0742 820 551
 Fax n° +39 0742 820 521
 E-Mail: massimo.fabi@jp-industries.com

For the **Technical Assistance Manager**
 attention of: **Spare Parts Procurement Manager**

Technical Information **466000277**
side by side connection **rev. 000**

Istruzione di installazione per il collegamento dei prodotti side by side

Per fissare i due apparecchi tra di loro è necessario utilizzare i 3 punti di connessione:

1. Parte bassa frontale
2. Parte alta frontale
3. Parta alta posteriore

In questi punti devono essere fissate le cerniere di connessione visibili nelle foto mostrate più in basso.

I kit sono composti dalle seguenti parti:

- nr. 3 staffe di connessione
- nr. 1 profilo verticale con magnete (*vedere nota)
- nr. 4 viti autofilettanti TSP D=4,8 H=19

Colori dei kit:



- Kit colore bianco codice: 651069449 720702500
- Kit colore grigio codice: 651068963 720687700



Procedura di montaggio:

Disporre i due apparecchi a circa 5mm di distanza l'uno dall'altro sui due lati da accoppiare (il lato destro del freezer ed il sinistro del frigorifero) lasciando spazio sufficiente intorno agli apparecchi per essere in grado di poter lavorare anche sul lato posteriore.

1. Nella parte frontale in basso (1 nella foto A) inserire la staffa di collegamento per i piedini regolabili inserendo prima il lato sinistro della staffa fino in fondo e poi inserire il lato destro facendo ruotare la staffa come mostrato nelle foto che seguono.



From: Technical Department
 -Cooling Division-
 Colle di Nocera Umbra
 06025 Nocera Umbra (PG) Italy
 Phone n° +39 0742 820 551
 Fax n° +39 0742 820 521
 E-Mail: massimo.fabi@jp-industries.com

For the **Technical Assistance Manager**
 attention of: **Spare Parts Procurement Manager**

Technical Information **466000277**
side by side connection **rev. 000**

Istruzione di installazione per il collegamento dei prodotti side by side

2. Nella parte superiore frontale (2 nella foto A) disporre la staffa di collegamento e fissarla utilizzando le viti fornite nel kit (nr. 4 viti autofilettanti TSP D=4,8 H=19).



3. Nel punto di fissaggio al lato posteriore (3 nella foto A) dopo aver rimosso le due viti usate per fissare il top, disporre la staffa di connessione posteriore e fissare con le viti appena rimosse.



Una volta completato il fissaggio delle staffe di collegamento, posizionare i due apparecchi e montare il profilo frontale nello spazio tra i due apparecchi. (vedere la foto B). (*il profilo non è previsto nel kit colore nero)

"Istruzione di installazione per il collegamento dei prodotti side by side"

Kit colore bianco: 651068963 720702500 (composto dalle seguenti parti)

- Staffa inferiore frontale: pcs. 1
- Staffa superiore posteriore: pcs. 1
- Staffa superiore frontale: pcs. 1
- Viti di fissaggio staffa superiore frontale: pcs. 4
- Profilo verticale con magnete: pcs. 1

"Istruzione di installazione per il collegamento dei prodotti side by side"

Kit colore grigio: 651069449 720687700 (composto dalle seguenti parti)

- Staffa inferiore frontale: pcs. 1
- Staffa superiore posteriore: pcs. 1
- Staffa superiore frontale: pcs. 1
- Viti di fissaggio staffa superiore frontale: pcs. 4
- Profilo verticale con magnete: pcs. 1